09/612,797 Search History Printent

| | ······································ | | | | | · , |
|----------|--|---|-------|---------------------|---------|------------------|
| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
| L2 | 687 | (369/47.5-47.55 369/59.11).ccls. | USPAT | OR | ON | 2005/07/12 11:34 |
| L3 | 582 | 369/47.5-47.55.ccls. | USPAT | OR | ON | 2005/07/12 11:34 |
| L4 | 62 | 2 and (multi\$1value\$1 ((multiple three four ((two L3) adj bit)) near2 value\$1)) | USPAT | OR | ON | 2005/07/12 11:34 |
| L5 | 2 | 2 and (multi\$1value\$1 ((multiple three four ((two L3) adj bit)) near2 value\$1)) and ((modif\$8 adjust\$5 chang\$3 optimiz\$3) with ((preced\$3 front before) near3 (value power intensit\$3 level)) with ((follow\$3 after back trail\$3)near3 (value power intensit\$3 level))) | USPAT | OR | ON | 2005/07/12 11:34 |
| L6 | 11 | "369"/\$7.ccls. and ((averag\$3 mean) with ((preced\$3 front lead\$3) near3 (mark value power intensit\$3 level)) with ((follow\$3 rear next back trail\$3) near3 (mark value power intensit\$3 level))) | USPAT | OR | ON | 2005/07/12 11:34 |
| L7 | 243 | "369"/\$7.ccls. and ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) near3 (information data bit mark)) | USPAT | OR | ON | 2005/07/12 11:34 |
| L8 | 0 | "369"/\$7.ccls. and ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) near3 (information data bit mark)) and ((power intensit\$3 level) near3 each near2 value) | USPAT | OR | ON | 2005/07/12 11:35 |
| L9 | | "369"/\$7.ccls. and ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) near3 (information data bit mark)) and ((power intensit\$3 level) near3 each near2 (value\$1 multi\$1value\$1)) | USPAT | OR | ON | 2005/07/12 11:35 |
| L10 | 859 | "369"/\$7.ccls. and (multi\$1value\$1 trinary quaternary ((multiple three four ((two L3) adj bit)) near2 value\$1)) | USPAT | OR | ON | 2005/07/12 11:35 |
| L11 | 62 | 10 and 4 | USPAT | OR | ON | 2005/07/12 11:36 |
| L13 | 0 | 11 and 6 | USPAT | OR | ON | 2005/07/12 11:36 |

09/612,797 Search History

| | | V - I | , , , , , , | 100 (4) | (| |
|-----|-----|--|-------------|---------|----|------------------|
| S1 | 7 | ("5153872" "6023447" "5808988" "6188656" "5790492" "5446717" "5615193").pn. | USPAT | OR | ON | 2005/01/27 14:43 |
| S2 | 559 | 369/47.5-47.55.ccls. | USPAT | OR | ON | 2005/01/27 11:28 |
| S3 | 44 | S2 and (multi\$1value\$1 ((multiple three four ((two S2) adj bit)) near2 value\$1)) | USPAT | OR | ON | 2005/01/27 11:28 |
| S4 | 658 | (369/47.5-47.55 369/59.11).ccls. | USPAT | OR | ON | 2005/07/12 11:34 |
| S5 | 59 | S4 and (multi\$1value\$1 ((multiple three four ((two S2) adj bit)) near2 value\$1)) | USPAT | OR | ON | 2005/07/12 11:34 |
| S6 | 2 | S4 and (multi\$1value\$1 ((multiple three four ((two S2) adj bit)) near2 value\$1)) and ((modif\$8 adjust\$5 chang\$3 optimiz\$3) with ((preced\$3 front before) near3 (value power intensit\$3 level)) with ((follow\$3 after back trail\$3)near3 (value power intensit\$3 level))) | USPAT | OR | ON | 2005/07/12 11:34 |
| S7 | 3 | S4 and ((averag\$3 mean) with ((preced\$3 front lead\$3) near3 (mark value power intensit\$3 level)) with ((follow\$3 rear next back trail\$3) near3 (mark value power intensit\$3 level))) | USPAT | OR | ON | 2005/01/27 12:06 |
| S8 | 11 | "369"/\$7.ccls. and ((averag\$3 mean) with ((preced\$3 front lead\$3) near3 (mark value power intensit\$3 level)) with ((follow\$3 rear next back trail\$3) near3 (mark value power intensit\$3 level))) | USPAT | OR | ON | 2005/07/12 11:34 |
| S9 | 0 | S8 and (multi\$1value\$1 trinary quaternary ((multiple three four ((two S2) adj bit)) near2 value\$1)) | USPAT | OR | ON | 2005/07/12 11:35 |
| S10 | 835 | "369"/\$7.ccls. and (multi\$1value\$1 trinary quaternary ((multiple three four ((two S2) adj bit)) near2 value\$1)) | USPAT | OR | ON | 2005/01/27 12:12 |
| S11 | 825 | "369"/\$7.ccls. and (multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) | USPAT | OR | ON | 2005/01/27 12:12 |
| S12 | 235 | "369"/\$7.ccls. and ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) near3 (information data bit mark)) | USPAT | OR | ON | 2005/07/12 11:34 |

09/612,797 Search History

| S13 | | "369"/\$7.ccls. and ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) near3 (information data bit mark)) and ((power intensit\$3 level) near3 each near2 value) | USPAT | OR | ON | 2005/07/12 11:35 |
|-----|---|---|-------|------|----|------------------|
| S14 | 0 | "369"/\$7.ccls. and ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) near3 (information data bit mark)) and ((power intensit\$3 level) near3 each near2 (value\$1 multi\$1value\$1)) | USPAT | OR | ON | 2005/07/12 11:35 |
| S15 | 3 | S1 and (averag\$3 mean) | USPAT | OR . | OŅ | 2005/01/27 14:44 |
| S16 | 3 | S1 and (averag\$3 mean!) | USPAT | OR | ON | 2005/01/27 14:44 |

09/612,797 Interference Search

| Ref | Hits | Search Query | DBs | Default | Plurals | Time Stamp |
|-----|------|--|----------|----------|---------|------------------|
| # | | | · | Operator | | į |
| L14 | 39 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially)).clm. | US-PGPUB | OR | ON | 2005/07/12 11:41 |
| L15 | 20 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially) and (modif\$4 adjust\$4)).clm. | US-PGPUB | OR | ON | 2005/07/12 11:42 |
| L16 | 9 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially) and (modif\$4 adjust\$4) and (preced\$3 lead\$3) and (follow\$3 trail\$3)). clm. | US-PGPUB | OR | ON | 2005/07/12 12:03 |
| L17 | 5 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially) and (modif\$4 adjust\$4) and (preced\$3 lead\$3) and (follow\$3 trail\$3) and averag\$3).clm. | US-PGPUB | OR | ON . | 2005/07/12 12:03 |
| L18 | . 0 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially) and (modif\$4 adjust\$4) and (preced\$3 lead\$3) and (follow\$3 trail\$3) and (record\$3 writ\$3) and (stor\$3 sav\$3)).clm. | US-PGPUB | OR | ON | 2005/07/12 12:04 |
| L19 | 0 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially) and (modif\$4 adjust\$4) and (preced\$3 lead\$3) and (follow\$3 trail\$3) and (record\$3 writ\$3) and (assign\$3)). clm. | US-PGPUB | OR | ON | 2005/07/12 12:04 |
| L20 | 0 | ((multi\$1value\$1 trinary quaternary ((multiple three four) near2 value\$1)) and consecutiv\$3 and (sequence sequentially) and (modif\$4 adjust\$4) and "single track").clm. | US-PGPUB | OR | ON | 2005/07/12 12:04 |